

INDEX

- A/FD, 198
- absolute altitude, 60
- accident reporting, 196
- ACs, 200
- active runway, 13
- ADF, 77–79
- adiabatic heating/cooling, 53, 89
- adiabatic lapse rate, 89, 119
- advection fog, 95
- adverse yaw, 30
- Advisory Circulars, 200
- aerobatics, v, 194
- aeronautical decision making, 295–304
- Aeronautical Information Manual, 197
- AFSS, 143
- aileron, 1
- AIM, 197
- air traffic control, 193, 197, 203–8, 243, 253
- airbrakes, 5
- airfoil, 23
- AIRMET, 167
- airport
 - lighting, 17, 226
 - markings, 11–17
 - representation on charts, 224–26
 - traffic, 18
- Airport/Facility Directory, 198
- airspace
 - representation on charts, 227–30
 - requirements, 209
 - system, 203
- airspeed
 - calibrated, 63
 - indicated, 62
 - limit, 6, 32
 - performance, 6
 - true, 63
- airspeed indicator
 - how it works, 62
 - markings, 63
- Airworthiness Certificate, 7, 193
- alcohol, 179, 187, 191
- alert areas
 - defined, 210
 - representation on charts, 232
- alterations, 193
- altimeter
 - adjusting, 57
 - errors, 58
 - how it works, 56
 - reading, 57
 - required settings, 193
- altitude
 - absolute, 60
 - density, 60
 - indicated, 60
 - pressure, 60
 - true, 60
- angle of attack, 23, 39
- artificial horizon, 72
- ASOS, 144
- aspect ratio, 2, 30
- ATC, 193, 197, 203–8, 243, 253
- ATIS, 250
- atmosphere
 - properties, 53, 85
 - standard, 54
- atmospheric soundings, 116
- attitude indicator, 72
- Automated Flight Service Station, 143
- Automated Surface Observation System, 144
- Automated Weather Observing System, 144
- automatic direction finder, 77–79
- Aviation Area Forecast, 161
- Aviation Routine Weather Reports, 146
- AWOS, 144
- badges, iv
- bank angle, 34
- barometer, 87
- bends, 176
- best glide speed
 - determining, 43
 - effect of headwind, 46
 - effect of lift/sink, 48
 - effect of tailwind, 47
 - effect of wing loading, 50
- best L/D speed, 44
- BFR, 189
- biannual flight review, 189
- calibrated airspeed, 63
- cap cloud, 137
- cell phone, 191
- center of gravity
 - determining, 9
 - glider axes, 23
 - stability, 36–38
- certification of pilots, 186
- change of address, 190
- chevrons, 16
- chord line, 23
- cirrus, 94
- class
 - aircraft, 184
 - airmen, 184
 - airspace, 203–9
- closed runway, 14
- cloud
 - base, 90, 121, 124, 126
 - clearance requirements, 209
 - types, 91–95
- cold front, 102
- common traffic advisory frequency, 242
- compass, 67–71
- complacency, 303
- condensation level, 90, 121
- contests, v
- convection, 97
- convective condensation level, 126
- Convective SIGMET, 167
- convergence
 - lift, iii, 85
 - weather for, 137–39
- coordinated turn, 35
- Coriolis effect, 99
- crew, 293
- critical angle of attack, 26
- cross-country, iv, 267–94
- crosswind component, 48
- CTAF, 242
- cumulus, 92

- dead reckoning, 237
- decision making, 295–304
- decompression sickness, 176
- dehydration, 173
- density
 - defined, 88
 - effects on indicated
 - airspeed, 63
- density altitude, 60
- deviation, 69
- dew, 89
- dew point
 - defined, 89
 - lapse rate, 119
 - skew-T/log-P diagram, 119
- dihedral, 39
- Direct User Access
 - Terminal Service, 143
- displaced threshold, 14
- dive brakes, 5
- documentation, 7, 186, 193
- down-burst, 128
- drag
 - defined, 28
 - induced, 29
 - parasite, 28
 - profile, 29
- drizzle, 96
- dropping objects, 191
- drugs, 179, 187, 191
- dry adiabatic lapse rate, 89, 119
- DUATS, 143
- dust devil, 113
- EFAS, 143, 244
- elevator, 1
- ELT, 80
- emergency locator
 - transmitter, 80
- emergency radio use, 245, 258
- En route Flight Advisory Service, 143
- Eustachian tube, 170
- experimental aircraft, 195
- FA, 161
- FAA, 183
- FARs, 183–96, 197
- FD, 163
- federal airways, 208
- Federal Aviation Regulations, 183, 197
- flaps, 6
- flight following, 254
- flight manual, 6
- flight review, 189
- Flight Service Station, 143, 244
- flight test, 188
- flight training, vi
- Flight Watch, 244
- Foehn gap, 135
- fog, 95
- forces
 - in a turn, 33
 - on a glider, 24
- foreign license, 190
- formation flight, 192
- fronts, 101–4, 110
- frost, 89
- FSS, 143, 244
- fuselage, 1
- G-forces, 176
- glide distance, 41
- glide ratio
 - definition, 41
 - effect of lift/sink, 48
 - effect of wind, 44
 - effect of wing loading, 50
 - from polar, 43
 - maximum, 43
- glide slope
 - control, 5
 - management, 267
 - ruler, 268–73
- glider
 - axis, 23
 - defined, 184
 - parts of, 1
 - polars, 42
- global positioning system, 81
- G-meter, 71
- GPS, 81
- ground effect, 30
- groundspeed
 - defined, 45
 - determining, 283
- gust front, 128
- gyroscopic instruments, 72
- hail, 93, 97, 128
- heading indicator, 74
- heatstroke, 174
- hold short marking, 15
- humidity, 88
- hyperventilation, 175
- hypoxia, 174
- icing, 129
- IFR, 184, 203
- impulsivity, 303
- incident, 196
- inclinometer, 66
- indicated airspeed, 62
- indicated altitude, 60
- inspections, 193
- instrument flight rules, 184, 203
- instruments, 53–84
- isobars, 109
- isogonic lines, 223
- jet stream, 94, 107
- judgment, 299–302
- K-Index, 129
- knowledge test, 188
- Kollsman window, 58
- landing gear, 4
- latitude, 213
- lenticular, 93, 135
- license, v, 186
- lift
 - aerodynamic, 25
 - convergence, iii, 137–39
 - ridge, iii, 130–31
 - soaring, iii, 85
 - thermal, iii, 111–30
 - wave, iii, 131–37
- lifted condensation level, 126
- lifted index, 129
- light signals, 194
- lightning, 129
- load factor, 35
- logbook
 - glider, 186
 - pilot, 189
- longitude, 213
- low-pressure system, 104
- magnetic variation, 68, 223
- maintenance, 185, 193
- maneuvering speed, 32, 64
- maximum aerotow speed, 33
- maximum elevation figures, 221
- maximum glide ratio, 43
- medical certificate, v, 169, 189
- medical factors, 169
- medication, 180
- METAR, 146–51
- military operations area
 - defined, 210
 - representation on charts, 232
- military training routes
 - defined, 211
 - representation on charts, 232
- minimum altitudes, 192

- minimum equipment list, 6
- minimum sink, 44
- minimum sink speed
 - determining from polar, 44
 - effect of wing loading, 50
- MOA
 - defined, 210
 - representation on charts, 232
- mode-C veil, 206, 227
- motion sickness, 173
- MTR
 - defined, 211
 - representation on charts, 232
- NAVAIDs
 - ADF, 77–79
 - representation on charts, 230
 - VOR, 74–77
- navigation, 74, 77, 213, 234
- negative flaps, 6
- never exceed speed, 33
- NOTAM, 198
- Notice to Airmen, 198
- occluded front, 103
- off-field landing, 286
- operating limits, 8, 304
- oxygen
 - equipment, 82
 - requirements, 194
- parachute
 - described, 260–64
 - jump zones, 211, 234
 - requirements, 195
- passenger, 190
- peer pressure, 302
- personal locator beacon, 80
- phonetic alphabet, 241
- pilot license, v, 186
- Pilot Operating Handbook, 6
- Pilot Weather Reports, 157
- pilotage, 237
- PIREP, 157
- pitch
 - axis, 24
 - stability, 36
- pitot pressure, 55, 62
- pitot tube, 56
- PLB, 80
- polar, 42–52
- position lights, 194
- positive control area, 204
- practical test, 188
- precipitation, 96, 110
- preflight
 - checklist, glider, 7
 - checklist, parachute, 261
 - required actions, 191
- pressure
 - defined, 87
 - measuring, 87
 - pitot, 55
 - standard lapse rate, 54
 - static, 55
 - total, 55
- pressure altitude, 60
- prime meridian, 213
- prohibited airspace
 - defined, 210
 - representation on charts, 232
- radar
 - ATC, 203
 - weather, 111, 155
- Radar Summary Chart, 155
- radiation fog, 95
- radio
 - described, 79
 - required, 205, 206, 207
 - using, 239–58
- radio magnetic indicator, 77
- rain, 96
- Registration Certificate, 8, 193
- regulations, 183–96, 304
- relative wind, 23
- repairs, 193
- restricted airspace
 - defined, 210
 - representation on charts, 232
- retrieve
 - aero, 292
 - ground, 291
- ridge
 - lift, iii, 85
 - weather for, 130–31
- right of way, 192
- RMI, 77
- roll
 - axis, 24
 - stability, 38
- roll cloud, 136
- rough air speed, 33
- rudder, 1
- runway markings, 11–17
- safe glide circles, 270
- satellite photos, 111
- saturated adiabatic lapse rate, 90, 119
- sea breeze, 98, 137
- seat belts, 191
- sectional chart, 216
- segmented circle, 12
- self-discipline, 302–4
- separation, 26
- showers, 96
- SIGMET, 167
- Significant Weather Prognostic Chart, 164
- sink rate, 36, 42
- sinus problems, 169
- situational awareness, 295–99
- skew-t/log-p diagram, 116–25
- skid, 35, 67
- skin friction, 28
- slip, 35, 39, 67
- snow, 97
- soaring, iii, 85
- solo, vii, 187
- sounding, 116
- special use airspace
 - defined, 210
 - representation on charts, 232
- speed made good, 277
- speed ring, 66, 277–81
- speed-to-fly, 276
- spin
 - cause, 27
 - recovery procedure, 6
- spoilers, 5
- squall line, 129
- squelch, 239
- stabilator, 3
- stability
 - atmospheric, 89, 91
 - glider, 36
- stall
 - cause, 26
 - recovery procedure, 6
- stall speed, 32, 35
- standard atmosphere, 54
- static ports, 56
- static pressure, 55, 62
- stationary front, 103
- steam fog, 95
- stick thermal, 65
- stratus, 95
- SUA
 - defined, 210
 - radio communications, 253

representation on
 charts, 232
sunburn, 174
survival kit, 264
TACAN, 74
TAF, 159
tail
 configurations, 2
 dolly, 5
taxiway markings, 11–17
temperature
 defined, 86
 standard lapse rate, 55
temperature aloft forecast, 163
temporary flight restrictions, 211
Terminal Aerodrome Forecast, 159
terminal area chart, 217
terminal radar service area
 defined, 211
 representation on
 charts, 232
tetrahedron, 13
TFR, 211
thermal
 lifecycle, 115
 lift, iii, 85
 structure, 112
 weather for, 111–30
thermal index, 125
thunderstorms, 125, 126–30
time zones, 215
total energy probe, 66
total pressure, 55
tow hook, 3
tow pilot, 190
tow rope, 195
towel, 274
training, vi

Transcribed Weather Broadcast, 144
transponder
 described, 79
 emergency, 258
 required, 205–7, 206
TRSA
 defined, 211
 representation on
 charts, 232
true airspeed, 63, 283
true altitude, 60
turn
 altitude lost, 52
 forces, 33
turn coordinator, 73
TWEB, 144
UNICOM, 243
upslope fog, 95
V speeds, 64, 185
variation, 68, 223
variometer
 description, 64–66
 NETTO, 66
 total energy, 66
vertigo, 170
VFR, 203
VFR terminal area chart, 217
Victor airways, 208
virga, 96
visual flight rules, 203
VOR, 74–77
VOR Test Facilities, 77
VOR/DME, 74
VORTAC, 74
vortex
 aircraft wake, 20
 induced drag, 29
 jet stream, 107
WAC, 217
wake turbulence, 19

warning areas
 defined, 210
 representation on
 charts, 232
washout, 27
water vapor, 85, 88
wave
 lift, iii, 85
 weather for, 131–37
wave window, 204
weak link, 195
weather, 85–141
weather briefing, 144
Weather Depiction Chart, 151
weather services, 143–67, 198, 244
weight, 31
weight and balance, 9
wet adiabatic lapse rate, 90, 119
wind correction angle, 235
wind indicator, 13, 287
wind shear, 128
wind tee, 13
winds aloft
 determining, 283
 forecast, 163
Winds and Temperatures Aloft Forecast, 163
windsock, 13
wing
 configurations, 1
 loading, 50
world aeronautical chart, 217
written test, 188
yaw
 adverse, 30
 axis, 24
 stability, 40
yaw string, 66
ZULU, 216